

MYSTIQUE

DL154 - MODULAR DOWNLIGHT RANGE




Featuring a modular design, the Mystique from Vision Lighting enables the desired look to be achieved in your project.

Constructed from a aluminium body with exchangeable modular PMMA trim cover, the Mystique incorporates quality LED componentry including Citizen COB LED chips. Achieving a high lumen output, the Mystique provides optimal colour rendering.

A unique downlight, the Mystique is available in 9 trim and two beam option to perfectly meet the a range of internal architectural project requirements including office, hotel, retail, education and apartment applications.

PRODUCT SPECIFICATIONS

Wattage:	10W / 13W / 18W
Lumens:	890-2130Lm
Efficacy:	>89Lm/W
CCT:	2700K / 3000K / 4000K
CRI:	>80
Beam Angle:	36° / 60°
Dimming:	DALI
Material:	Aluminum
IP Rating:	IP20
Mounting:	Recessed
Driver:	Philips
Light Source:	Citizen COB LED
Lifetime:	50,000hrs




MYSTIQUE

DL154 - MODULAR DOWNLIGHT RANGE

CODING MATRIX

Family	Style	Power			CCT		Beam angle		Trim Colour		Dimming	
DL154	-A	-10	10W	890-1000Lm	-2K	2700K	-36	36 Degrees	-WT	White	(Blank)	None
	-B	-13	13W	1180-1490Lm	-3K	3000K	-60	60 Degrees			-DA	DALI
	-C	-18	18W	1900-2130Lm	-4K	4000K						
	-D											
	-E											
	-F											
	-G											
	-H											
	-I											










DIMENSIONAL DIAGRAM



MYSTIQUE

DL154 - MODULAR DOWNLIGHT RANGE

TRIM STYLES

Trim	Description	Image	Cutout
A	Deep Baffle		Ø75-80mm
B	Deep Baffle		Ø90-95mm
C	Slotted Pinhole		Ø70-80mm
D	Pinhole		Ø75-80mm
E	Adjustable		Ø70-80mm
F	Adjustable		Ø90-95mm
G	Angled		Ø75-80mm
H	Deep Square		90-95mm square
I	Square Adjustable		95-100mm square

E&OE. Vision Lighting retains the right to update this data at any time. Report generated 11 Aug 2023