

JEWEL SM

DLS02 - SURFACE MOUNTED DOWNLIGHT

Optimal Output & Presentation



The Jewel SM surface mounted downlight from Vision Lighting combines classic style with high performance.


Constructed from aluminium, the Jewel SM features a high quality reflector for optimal light output along with high quality chips for a long life.

Easy to install and available in a variety of colour and beam options, the Jewel SM is the ideal addition to any interior lighting application looking to create an atmosphere of leisure and comfort.



PRODUCT SPECIFICATIONS

Wattage:	10W / 18W / 25W
Lumens:	900 - 2765 Lm
Efficacy:	>89Lm/W
CCT:	3000K / 4000K
CRI:	>80
Beam Angle:	10° / 15° / 24° / 36°
Dimming:	None / Triac Universal
Material:	Aluminium
Colour:	Black / White
Reflector Colour:	Black / White / Gold / Silver
IP Rating:	IP20
Mounting:	Surface Mount
Lifetime:	50,000hrs




JEWEL SM

DLS02 - SURFACE MOUNTED DOWNLIGHT

CODE BUILDER

Family	Power		Lumens (4000K)	CCT		Beam Angle		Trim Colour		Reflector Colour		Dimming						
DLS02	-10	10W	900 Lm	-3K	3000K	-10D	10° (25W only)	-BK	Black	-BK	Black	(Blank)	None					
	-18	18W	1600 Lm		-4K	4000K	-15D		15° (Excluding 25W)		-WT		White	-WT	White	-D	Triac Universal	
	-25	25W	2765 Lm				-24D		24° (All)								-GD	Gold
							-36D		36° (All)								-SV	Silver

DIMENSIONAL DIAGRAM



JEWEL SM

DLS02 - SURFACE MOUNTED DOWNLIGHT

