

JEWEL DLP02 - PENDANT DOWNLIGHT

Optimal Output & Presentation



The Jewel pendant downlight from Vision Lighting combines classic style with high performance.


Constructed from aluminium, the Jewel features a high quality reflector for optimal light output along with high quality chips for a 50,000 hour life.

Easy to install and available in a variety of colour and beam options, the Jewel is the ideal addition to any interior lighting application looking to create an atmosphere of leisure and comfort.



PRODUCT SPECIFICATIONS

Wattage:	10W / 18W / 25W
Lumens:	900 - 2765 Lm
Efficacy:	>89Lm/W
CCT:	3000K / 4000K
CRI:	>80
Beam Angle:	10°/15°/24°/36°
Dimming:	None / Triac Universal
Material:	Aluminium
Colour:	Black / White
Reflector Colour:	Silver / Black / White / Gold
IP Rating:	IP20
Mounting:	Pendant
Lifetime:	50,000hrs






JEWEL DLP02 - PENDANT DOWNLIGHT

CODING MATRIX

Family	Power		Lumens (4000K)	ССТ		Beam Angle		Trim Colour		Reflector Colour		Dimming	
DLP02		10W	900 Lm	-3K	3000K		10° (25W only)	-BK			Black	(Blank)	
	-18 -25	18W 25W	1600 Lm 2765 Lm	-4K	4000K	-15D -24D	15° (Excluding 25W) 24° (All)	-WT	White	-WT -GD	White Gold	-D	Triac Universal
						-36D	36° (All)						

DIMENSIONAL DIAGRAM




Ø80

Ø112.5



JEWEL DLP02 - PENDANT DOWNLIGHT

INSTALLATION DETAILS



Warning: Do not adjust the length of the wire.



E&OE. Vision Lighting retains the right to update this data at any time. Report generated 5 May 2021