

ARENA

PD12U - DIRECT/INDIRECT RING PENDANT



The Arena LED pendant from Vision Lighting is ideal for creating atmosphere, bringing simple elegance to a range of interior lighting applications.


Constructed from an aluminium body and microprismatic opal diffuser, the Arena showcases clean architectural lines.

With DALI available and a range of wattage, distribution and custom colour options, the Arena fulfils many technical and aesthetic lighting requirements.



PRODUCT SPECIFICATIONS

Wattage:	15 - 140W
Lumens:	1564 - 15,406Lm
CCT:	3000K / 4000K
CRI:	Ra80
Distribution:	80% Down / 20% up (Customiseable)
Dimming:	DALI Available
Material:	Aluminium
Diffuser:	Microprismatic PMMA opal diffuser
Colour:	White / Black / Other available on request
IP Rating:	IP40
Mounting:	Suspended




ARENA

PD12U - DIRECT/INDIRECT RING PENDANT

CODING MATRIX

Series		Size		Power		Lm (Down)	Lm (Up)	CCT		Trim Colour		Dimming	
PD12U	Direct/Indirect	-045	450mm	-15W	15.6W	1,251Lm	313Lm	-2K	2700K	-WT	White	(Blank)	None
		-060	600mm	-31W	31.3W	2,546Lm	637Lm	-3K	3000K	-BK	Black	-DA	DALI
		-075	750mm	-50W	50.0W	4,152Lm	1,038Lm	-4K	4000K	-GR	Light Grey	-DV	1-10V Dimmable
		-100	1000mm	-78W	78.1W	6,606Lm	1,652Lm			-CH	Charcoal/Dark Grey		
		-120	1200mm	-93W	93.8W	8,070Lm	2,018Lm						
		-150	1500mm	-140W	140.6W	12,325Lm	3,081Lm						

DIMENSIONAL DIAGRAM



Code	A	B
PD12-045	450mm	300mm
PD12-060	600mm	450mm
PD12-075	750mm	600mm
PD12-100	1000mm	850mm
PD12-120	1200mm	1050mm
PD12-150	1500mm	1350mm

ARENA

PD12U - DIRECT/INDIRECT RING PENDANT

