

# SARATOGA

## BOLRP - LED BOLLARD




Saratoga Round LED Bollard by Vision Lighting. Robust IK10 and IP65 protection and solid baseplate mounting. Sleek minimalist design. Downwards targeted light distribution.

Enhance your outdoor spaces with the Saratoga Bollard, a perfect combination of style, durability, and efficiency. Illuminate your pathways and gardens while elevating the overall appeal of your landscape.

Experience the brilliance of this high-quality bollard that adds both function and flair to your outdoor lighting needs.

### PRODUCT SPECIFICATIONS

Wattage:	13W
CCT:	3000K   40000K
Lumens:	690Lm   730Lm
CRI:	Ra>80
Dimming:	DALI Available
Material:	Aluminium
Colour:	Black
Mounting:	Surface
IP Rating:	IP65
IK Rating:	IK10
Lifetime:	L80B10>50,000 hrs




# SARATOGA

## BOLRP - LED BOLLARD

### CODING MATRIX

Family	Dimension	Power	CCT/CRI	Colour	Dimming
BOLRP	-H08 780mm	-13W	-3K 3000K Ra>80 (690Lm)	-BK Black	(Blank) Non-Dimming
			-4K 4000K Ra>80 (730Lm)		-DA DALI

### DIMENSIONAL DIAGRAM



# SARATOGA

## BOLRP - LED BOLLARD

### INSTALLATION

If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.

The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced.

Lighting fixture shall be provided with additional protection by a protective device having a rated operating residual current not exceeding 30mA

Caution, risk of electric shock.





FIG-1




FIG-2

Bolts supplied by others to suit site specific installation requirements.




FIG-3





FIG-4




FIG-5

